

CERTIFICATE OF ANALYSIS



Report Issue Date: 3/1/2023

Customer: Biominerals Pharma
3790 SW 30th Ave
Fort Lauderdale, FL 33312

Batch #: BMPISO00423

Order Date: 2/27/2023

Laboratory Number: ATL-12215

Analysis Date: 3/1/2023

Sample Description:

CBD Isolate

Extraction Technician: LL

Analytical Chemist: LL

Unit Weight: 1g



Abraham Gacaman
Laboratory Manager

CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/g	%	Analyte	LOQ (mg/g)	Results mg/g	%	Analyte	LOQ (mg/g)	Results mg/g	%
CBDV-A	<0.06	N/D	N/D	THCV-A	<0.06	N/D	N/D	9S-HHC	<0.01	N/D	N/D
CBDV	<0.03	N/D	N/D	CBN	<0.03	N/D	N/D	CBC	<0.06	N/D	N/D
CBD-A	<0.03	N/D	N/D	D9-THC	<0.03	N/D	N/D	CBC-A	<0.03	N/D	N/D
CBG-A	<0.03	N/D	N/D	D8-THC	<0.03	N/D	N/D	THC-A	<0.03	N/D	N/D
CBG	<0.02	N/D	N/D	9R-D10-THC	<0.02	N/D	N/D	D9-THCP	<0.01	N/D	N/D
CBD	<0.01	997.29	99.73	9S-D10-THC	<0.02	N/D	N/D	D8-THCO	<0.02	N/D	N/D
THCV	<0.01	N/D	N/D	9R-HHC	<0.01	N/D	N/D				

Max Active THC	mg/g	%
	N/D	N/D

Total Active Cannabinoids	mg/g	%
	997.29	99.73

Max Active CBD	mg/g	%
	997.29	99.73

Total Cannabinoids	mg/g	%
	997.29	99.73

NOTES

[Empty box for notes]

Cannabidiolic Acid(CBDVA) Cannabidiol(CBDV) Cannabidiol Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabinol(THCV) Tetrahydrocannabinolic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabinol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO)

Document ID: ATL-225 Revision: 02 Effective Date: 7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

